

















HYDRAULIC EQUIPMENT
P.T.O.


MERCEDES P.T.O.	
 	Main Gearbox: G3/32,36,40,45,50,55,60,61 (600 rpm, RIGHT)
	Product Number / Ürün Numarası Vehicles: 315-352-362-383-609-710-712-809-812-813-814-817-913-1017-1113-1114-1213-1216-1318-1618
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
	MERCEDES 352-2 UNI 50120311P0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G3/32,36,40,45,50,55,60,61 (550 rpm, LEFT)
	Product Number / Ürün Numarası Vehicles: 315-352-362-383-609-710-712-809-812-813-814-817-913-1017-1113-1114-1213-1216-1318-1618
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
	MERCEDES 352-1 ISO 50121322P0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G 60,85 (650 rpm, LEFT)
	Product Number / Ürün Numarası Vehicles: 614-814-815-817-818-823-925-1017-1215-1217-1223-1225-1317- 1323-1328-1517-1523-1618-1623-1823 ATEGO
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
	MERCEDES ATEGO 7-HOLE UNI DOUBLE GEAR 50122311P0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G 60,85 (650 rpm, LEFT)
	Product Number / Ürün Numarası Vehicles: 614-814-815-817-818-823-925-1017-1215-1217-1223-1225-1317- 1323-1328-1517-1523-1618-1623-1823 ATEGO
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
	MERCEDES ATEGO 7-HOLE ISO DOUBLE GEAR 50122321P0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G 60,85 (560 rpm, RIGHT)
	Product Number / Ürün Numarası Vehicles: 614-814-815-817-818-823-925-1017-1215-1217-1223-1225-1317- 1323-1328-1517-1523-1618-1623-1823 ATEGO
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
	MERCEDES ATEGO 7-HOLE ISO SINGLE GEAR 50122322P0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

 	Main Gearbox: G 5-6 (575 rpm, LEFT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: 815(4x2)1215-1216-1217 (2006) ATEGO
		-The rotation of the pump has to be opposite with the rotation of PTO.
	MERCEDES ATEGO 3562-H-20 LUENI UNI 0D102U0B3L1ET GPE0AR 50123311P0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: G 56 (575 rpm, LEFT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: 815(4x2)1215-1216-1217 (2006) ATEGO
		The rotation of the pump has to be opposite with the rotation of PTO.
	MERCEDES ATEGO 6-HOLE ISO DOUBLE GEAR 50123321P0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: G 56 (500 rpm, RIGHT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: 815(4x2)1215-1216-1217 (2006) ATEGO
		The rotation of the pump has to be opposite with the rotation of PTO.
	MERCEDES ATEGO 6-HOLE ISO SINGLE GEAR 50123322P0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: G 60,85 (560 rpm, RIGHT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: 817-818-823-925-1017-1215-1217-1223-1225-1317- 1323-1328-1523-1618-1623-1823 ATEGO
		The rotation of the pump has to be opposite with the rotation of PTO.
	MERCEDES ATEGO 7-HOLE ISO SINGLE GEAR ALUMINUM ORIGINAL 50132322P1	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: G100 (675 rpm, LEFT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: 818-823-925-1017-1215-1217-1223-1225-1317- 1323-1328-1523-1618-1623-1823 ATEGO
		The rotation of the pump has to be opposite with the rotation of PTO.
	MERCEDES G100 REAR UNI 50124311P0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)


 	Main Gearbox: G100 (675 rpm, LEFT)	
	Product Number / Ürün Numarası	Vehicles: 1528-1823-1828-1924-2523-2528-2623-2628-2832-3224-3228 AXOR 1223-1323-1328-1523-1828-2528-2628 ATEGO
	MERCEDES G100 REAR ISO DOUBLE GEAR 50124321P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: G10-0 (500 rpm, RIGHT)	
	Product Number / Ürün Numarası	Vehicles: 1528-1823-1828-1924-2523-2528-2623-2628-2832-3224-3228 AXOR -1223-1323-1328-1523-1828-2528-2628 ATEGO
	MERCEDES G100-1 IS-O SINGLE GEAR 50124322P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: G125,135,155,180,200,210,221,240,255,260 (500 rpm, RIGHT)	
	Product Number / Ürün Numarası	Vehicles: 1729-1735-1827-1831-1834-1835-1838-1840-1844-1848-1850-1857-1929-1934-1935-1938-1953-2031-2038-2040-2044-2050-2429-2435-2527-2531-2534-2544-2550-2629-2631-2635-2638-2643-2644-2648-2650-3031-3229-3234-3235-3331-3335-3336-3340-3348-3534-3535-3538-3548-3553-3557- 4148-ACTROS MERCEDES
	MERCEDES G155-1 ALUMINUM 50125322P1	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: İRAN	
	Product Number / Ürün Numarası	Vehicles: 608-808
	MERCEDES 608-808 50131512P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: G125,135,155,180,200,210,221,240,255,260 (675 rpm, LEFT)	
	Product Number / Ürün Numarası	Vehicles: 1729-1735-1827-1831-1834-1835-1838-1840-1844-1848-1850-1857-1929-1934-1935-1938-1953-2031-2038-2040-2044-2050-2429-2435-2527-2531-2534-2544-2550-2629-2631-2635-2638-2643-2644-2648-2650-3031-3229-3234-3235-3331-3335-3336-3340-3348-3534-3535-3538-3548-3553-3557- 4148-ACTROS MERCEDES
	MERCEDES G155-2 50126321P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)

 	Main Gearbox: G125,135,155,180,200,2-10,221,240,255,260 (500 rpm, RIGHT)
	Product Number / Ürün Numarası Vehicles: 1729-1735-1827-1831-1834-1835-1838-1840-1844-1848-1850-1857-1929-1934-1935-1938-1953-2031-2038-2040-2044-2050-2429-2435-2527-2531-2534-2544-2550-2629-2631-2635-2638-2643-2644-2648-2650-3031-3229-3234-3235-3331-3335-3336-3340-3348-3534-3535-3538-3548-3553-3557-4148-ACTROS MERCEDES
	MERCEDES 35G21-525 U-1N1 5500 11 2 06 3 21 21 P 00 The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO)
 	Main Gearbox: G125,135,155,180,200,210,221,240,255,260 (500 rpm, RIGHT)
	Product Number / Ürün Numarası Vehicles: 1729-1735-1827-1831-1834-1835-1838-1840-1844-1848-1850-1857-1929-1934-1935-1938-1953-2031-2038-2040-2044-2050-2429-2435-2527-2531-2534-2544-2550-2629-2631-2635-2638-2643-2644-2648-2650-3031-3229-3234-3235-3331-3335-3336-3340-3348-3534-3535-3538-3548-3553-3557-4148-ACTROS MERCEDES
	MERCEDES G155-1 ALUMINUM BODY 50127322P0 Coupling (flange connection) The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G125,135,155,180,200,210,221,240,255,260 (500 rpm, LEFT)
	Product Number / Ürün Numarası Vehicles: 1729-1735-1827-1831-1834-1835-1838-1840-1844-1848-1850-1857-1929-1934-1935-1938-1953-2031-2038-2040-2044-2050-2429-2435-2527-2531-2534-2544-2550-2629-2631-2635-2638-2643-2644-2648-2650-3031-3229-3234-3235-3331-3335-3336-3340-3348-3534-3535-3538-3548-3553-3557-4148-ACTROS MERCEDES
	MERCEDES G155-1 ISO WITHOUT PLATE 50128322P0 The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G4-GV / 4 65,90,95,110,125,135,155,180 (600 rpm, RIGHT)
	Product Number / Ürün Numarası Vehicles: 1222-1228-1417-1419-1424-1617-1619-1620-1628-1722-1733-1817-1820-1821-1824-1827-1831-1922-1929-1935-1948-2222-2224-2232-2426-2517-2521-2524-2527-2622-2629-2635-3027 MERCEDES BENZ
	MERCEDES G4 DOUBLE GEAR 50129311P0 The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: G4-GV / 4 65,90,95,110,125,135,155,180 (500 rpm, RIGHT)
	Product Number / Ürün Numarası Vehicles: 1222-1228-1417-1419-1424-1617-1619-1620-1628-1722-1733-1817-1820-1821-1824-1827-1831-1922-1929-1935-1948-2222-2224-2232-2426-2517-2521-2524-2527-2622-2629-2635-3027 MERCEDES BENZ
	MERCEDES G4 SINGLE GEAR 50129322P0 The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

HYDRAULIC EQUIPMENT
MERCEDES - ZF P.T.O.

 	Main Gearbox: G3 / 65-90 (1000 rpm, LEFT)	
	Product Number / Ürün Numarası	Vehicles: 1217-1219-1413-1419-1422-1613-1619-1922K-2024-2067 MERCEDES-BENZ / UNIMOG BENZ
	MERCEDES UNIMOG G3/65-90 50130321P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)




ZF P.T.O.

 	Main Gearbox: ZF AS TRONIC 16 AS 251 / 16 S 251+PLATE 12 AS 1631	
	Product Number / Ürün Numarası	Vehicles: 19.430 MAN EUROPE6X4 / 3300 DAF-19.430 CF DAF / 14.463 MAN / IVECO 480 STRALIS / 39.390 MAN TGA
	ZF AS TRONIC 16 S 251 DOUBLE GEAR PLATE ROTERDAR	With spindle (shaft) or milling (25x6) outlet.
		Piston Coupled Pump (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)





 	Main Gearbox: ZF16S251-221-151-150-130- ZF S5/AK/6 S-120-111-110-92-GP ZF S5	
	Product Number / Ürün Numarası	Vehicles: MAN / MERCEDES / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT
	ZF1 50210322P0 REAR SINGLE GEAR	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)





 	Main Gearbox: ZF16S251-221-151-150-130- ZF S5/AK/6 S-120-111-110-92-GP ZF S5	
	Product Number / Ürün Numarası	Vehicles: MAN / MERCEDES / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT
	ZF1 SENSOR 50210322P1 REAR SINGLE GEAR	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

 	Main Gearbox: ZF16S251-221-151-150-130- ZF S5/AK/6 S-120-111-110-92	
	Product Number / Ürün Numarası	Vehicles: MAN / MERCEDES / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT
	ZF1 ALUMINUM 50213322P0 REAR SINGLE GEAR	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)






 	Main Gearbox: ZF16S251-221-151-15-0-130- ZF S5/AK/6 S-120-111-110-92	
	Product Number: Vehicles: 8.163-10.185-L160C-LE 12.160-12.163-12.185-LE18.220-18.225-18.230-18.240 MAN / 518-522 PRO / DAEWOO AVIA (CEK CUM.) / 180.18-180.25	
	Ürün Numarası: Mercedes / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF1 MAELRUMCIENDUEMS 35S2EN-2S OURNI 5500122103332121P10 REAR SINGLE GEAR	-With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: Zf16 S251-221-151-150-130- ZF S5/AK/6S-120-111-110-92-	
	Product Number: Vehicles: 8.163-10.185-L160C-LE 12.160-12.163-12.185-LE18.220-18.225-18.230-18.240 MAN / 518-522 PRO / DAEWOO AVIA (CEK CUM.) / 180.18-180.25	
	Ürün Numarası: Mercedes / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF2 50210321P0 REAR DOUBLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: Zf16 S251-221-151-150-130- ZF S5/AK/6S-120-111-110-92	
	Product Number: Vehicles: 8.163-10.185-L160C-LE 12.160-12.163-12.185-LE18.220-18.225-18.230-18.240 MAN / 518-522 PRO / DAEWOO AVIA (CEK CUM.) / 180.18-180.25	
	Ürün Numarası: Mercedes / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF5 50241321P0 REAR AIR CUSHIONED HELIS DOUBLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: Zf16 S251-221-151-150-130- ZF S5/AK/6S-120-111-110-92	
	Product Number: Vehicles: 8.163-10.185-L160C-LE 12.160-12.163-12.185-LE18.220-18.225-18.230-18.240 MAN / 518-522 PRO / DAEWOO AVIA (CEK CUM.) / 180.18-180.25	
	Ürün Numarası: Mercedes / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF REAR DOUBLE GEAR AIR CUSHIONED 50232321P0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: ZF ECOLITE 6 S 850 (6,72) - 6S700 (6,02) (650 rpm, LEFT)	
	Product Number: Vehicles: 8.163-10.185-L160C-LE 12.160-12.163-12.185-LE18.220-18.225-18.230-18.240 MAN / 518-522 PRO / DAEWOO AVIA (CEK CUM.) / 180.18-180.25	
	Ürün Numarası: Mercedes / BMC PROFESYONEL / FORDCARGO / CHRYSLER HINO / DODGE / FARGO / IVECO / DAF / DAEWOO / RENAULT	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF 6 S 850 50219311P0 REAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)






HYDRAULIC EQUIPMENT
P.T.O.

 	Main Gearbox: ZF ECOLITE S5-42 (5,72) (1000 rpm, RIGHT)	
	Product Number / Ürün Numarası	Vehicles : 8.150-8.153-10.153-10.163-10.185MAN / MB800-1215-1517-ATEGO MERCEDES-BENZ / 45LF-170 DAF 45.120-45.130-45.150-45.160-50.130
	ZF 5,72 PNEUMATIC 50220512P0	The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: ZF ECOLITE S5-42 (4,65) (1000 rpm, RIGHT)	
	Product Number / Ürün Numarası	Vehicles : 8.145-8.155-8.163 MAN
	ZF 4,65 PNEUMATIC 50222512P0	The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 2000 / SCAM 4X4 for GearBox Type ZF ECOLITE 6s300 (6,73)	
	Product Number / Ürün Numarası	Vehicles : 110 dCi-130 dCi-140dCi-150dCi-160DxiRENAULTMASCOTT / IVECO 35 C 13 DAILY GAMMA
	ZF 6S 300 MECHANICAL 50215512M0	The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 2000 / SCAM 4X4 for GearBox Type ZF ECOLITE 6s300 (6,73)	
	Product Number / Ürün Numarası	Vehicles : 110 dCi-130 dCi-140dCi-150dCi-160DxiRENAULTMASCOTT / IVECO 35 C 13 DAILY GAMMA
	ZF 6S 400 MECHANICAL 50216512M0	The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: ZF 6S 380 / 6S 400 / IVECO SpA 2840.623M0 / IVECO SpA 2840.61	
	Product Number / Ürün Numarası	Vehicles: IVECO 45C15 - DAILY 4X4 - 50C18 - 35C15 - 50C15- IVECO 65C15 - 70C15 - IVECO DAILY 4X4 55S18 / NISSAN ATLEON
	ZF 6S 400 MECHANICAL 50216512M0	The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)


 	Main Gearbox: ZF 6S 380 / 6S 400 / IVECO S-pA 2840.623M0 / IVECO SpA 2840.623M0	
	PPPrordoudcutcNtu mNubemr Übreürn ÜrüNnu Nmuamrasairası	
	Vehicles: DAILY 4x4 - 50C15 - 35C15 - 50C15 - IVECO DAILY 4x4 55S18 7	
	-The rotation of the pump has to be opposite with the rotation of PTO.	
	MZEFR 6CSE 4D0E05 D0U5B2L-E2 EUFFNEICT 50V1A2C0U3U11MP0 50216512M0	
 	Main Gearbox: ZF 6 S 500 TO	
	PPPrordoudcutcNtu mNubemr Übreürn ÜrüNnu Nmuamrasairası	
	Vehicles: FAW 8.140 FL, FOTON 10-16 DT, OTOKAR ATLAS E6	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF 6 S 500 PK 50218512P0	
 	Gearbox: TRAXON 12 TX 2620 TD	
	PPPrordoudcutcNtu mNubemr Übreürn ÜrüNnu Nmuamrasairası	
	Vehicles: TRAXON 12 TX 2620 TD	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF TRAXON SINGLE GEAR 50240322P0	
 	Main Gearbox: TRAXON 12 TX 2620 TD	
	PPPrordoudcutcNtu mNubemr Übreürn ÜrüNnu Nmuamrasairası	
	Vehicles: TRAXON 12 TX 2620 TD	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF TRAXON DOUBLE GEAR 50240321P0	
 	Main Gearbox: ZF ECOMID 9 S 75 (13,16/9,56)(B:252) (450 rpm, RIGHT)	
	PPPrordoudcutcNtu mNubemr Übreürn ÜrüNnu Nmuamrasairası	
	Vehicles: 224MERCEDES / 617-620-622-625-822 BMW PRO / 1824-2524-2524D-2534 FORD CARGO / 19.260-26.260	
	The rotation of the pump has to be opposite with the rotation of PTO.	
	ZF ECOMID 9 S 75 SINGLE GEAR	


HYDRAULIC EQUIPMENT
P.T.O.


 	Main Gearbox: ZF ECOMID 9 S 75 (13,16/9,56)(B:252)	
	Product Number / Ürün Numarası	Vehicles: 2521-2524-3224 MERCEDES / 617-620-622-625-822 BMC PRO / 1824-2524-2524D-2534 FORD CARGO / 19.260-26.260-26.265-
	ZF ECOMID 9 S 75 DOUBLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
		-
 	Main Gearbox: ZF ECOMID 9 S 109 (12,91) (B:288) / 9 S 109 (11,10)	
	Product Number / Ürün Numarası	Vehicles: 32.270 MAN / 827-832 BMC PRO 270-26 FATİH / 3226-3227C-3227S-2527 FORD CARGO / 1830-2530-3230C-3230S-3240-4030-
	ZF ECOMID 9 S 109 (12,91) SINGLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
		-
 	Main Gearbox: ZF ECOMID 9 S 109 (12,91) (B:288) / 9 S 1310 (9,48)	
	Product Number / Ürün Numarası	Vehicles: 32.270 MAN / 827-832 BMC PRO 270-26 FATİH / 3226-3227C-3227S-2527 FORD CARGO / 1830-2530-3230C-3230S-3240-4030-
	ZF ECOMID 9 S 109 (12,91) DOUBLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
		-
 	Main Gearbox: ZF ECOMID 9 S 109 (12,92) (B:288) / 8 S 109 (11,35)	
	Product Number / Ürün Numarası	Vehicles: 17.192-17.232-18.220-19.270-25.270-26.230-26.270 MAN / 1827-2527-2626 FORD CARGO / 75.270-75.300 DAF / LEYLAND
	ZF ECOMID 9 S 109 (12,92) SINGLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
		-
 	Main Gearbox: ZF ECOMID 9 S 109 (12,92) (B:288) / 8 S 109 (11,35)	
	Product Number / Ürün Numarası	Vehicles: 17.192-17.232-18.220-19.270-25.270-26.230-26.270 MAN / 1827-2527-2626 FORD CARGO / 75.270-75.300 DAF / LEYLAND
	ZF ECOMID 9 S 109 (12,92) DOUBLE GEAR	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
		-


 	Main Gearbox: ZF ECOMID 16 S 10-9 (13,53-11,86) (B:288) / 8 S 109 PPPrordoudcut cNtvenNubemÜbreünn ÜrüNnu Nmuamrasarasi Vehicles: 17.822-19.422-19.340-26.342MAN / 2530-3226FORD CARGO / RENAULT PREMIUM 320.32-370 AS19.300-26.300 32.300 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) - MERCZFEDES 35E2C-O2M UIDNI 501162 OS3 11019P0 SINGLE GEAR
 	Main Gearbox: ZF ECOMID 16 S 109 (13,53-11,86) (B:288) / 8 S 109 PPPrordoudcut cNtvenNubemÜbreünn ÜrüNnu Nmuamrasarasi Vehicles: 17.822-19.422-19.340-26.342MAN / 2530-3226FORD CARGO / RENAULT PREMIUM 320.32-370 AS19.300-26.300 32.300 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) - ZF ECOMID 16 S 109 DOUBLE GEAR
 	Main Gearbox: ZF ECOSPLIT 16 S 151-181-221-251 (13,80-13,85-16) PPPrordoudcut cNtvenNubemÜbreünn ÜrüNnu Nmuamrasarasi Vehicles: 17.822-19.422-19.340-26.342MAN / 2530-3226FORD CARGO / RENAULT PREMIUM 320.32-370 AS19.300-26.300 32.300 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) - ZF ECOSPLIT 16 S 151 SINGLE GEAR
 	Main Gearbox: ZF ECOSPLIT 16 S 151-181-221-251 (13,80-13,85) PPPrordoudcut cNtvenNubemÜbreünn ÜrüNnu Nmuamrasarasi Vehicles: 17.822-19.422-19.340-26.342MAN / 2530-3226FORD CARGO / RENAULT PREMIUM 320.32-370 AS19.300-26.300 32.300 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) - ZF ECOSPLIT 16 S 151 DOUBLE GEAR
 	Main Gearbox: ZF ECOSPLIT 16 S 130-150-160-190-220 (14,29-17,28) PPPrordoudcut cNtvenNubemÜbreünn ÜrüNnu Nmuamrasarasi Vehicles: 16.281-19.280-19.422-25.372 (SLIENT)-26.231-26.280-26.281 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) - ZF ECOSPLIT 16 S 130 SINGLE GEAR


HYDRAULIC EQUIPMENT
P.T.O.


	Main Gearbox: ZF FIM ECOSPL-IT 16 S 2521 TO (13,80)(B:250) PPrordoudcut cNtu mNubemrÜbreürn ÜrünNnu Nmuamrasairasi MERCZFEDES 3E5C20-S2P ULINTI 501162 DS3 11310P0 DOUBLE GEAR WSeitch escepeingdiine iz(s hPaofm) opra mniilnlin Dg ö(2n5üxs6)y öountüle,tP.to Dönüş Yön PMisiltloi n(ş Paufmtltp) vCeoyupal efdre (z4e-h (o2le5 xc6on) nçercktiışolnı .I SO) disatro Pnulum p oCmouppaleyda 6 ax6k uCpoluep (li4n gd (e3l-ikhloi leb açğonlannect CDoişulpi lpinogm (fpLaanygae caoknunpelceti o6nx)6 kaplinli (3 delikli bağlantı un) -Kaplinli (flaşlı bağlantı)
	Main Gearbox: ZF NEW ECOSPL-IT 16 S 2521 TO (13,80)(B:250) PPrordoudcut cNtu mNubemrÜbreürn ÜrünNnu Nmuamrasairasi ZF NEW ECOS-PLIT 16 S 2521 SINGLE GEAR 6x4 / 3300 DAF-85.330 DAF / MAN TGA-TGA 18 460A-19 430MANEUROPE -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) -
	Main Gearbox: ZF NEW ECOSPL-IT 16 S 2521 TO(13,80)(B:250) PPrordoudcut cNtu mNubemrÜbreürn ÜrünNnu Nmuamrasairasi ZF NEW ECOS-PLIT 16 S 2521 DOUBLE GEAR 6x4 / 3300 DAF-85.330 DAF / RENAULT PREMIUM 440 DXI / IVECO -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) -
	Main Gearbox: ZF AS TRONIC 12 AS- 1800 IT / 16 AS 1800/16 AS 2200 IT PPrordoudcut cNtu mNubemrÜbreürn ÜrünNnu Nmuamrasairasi ZF AS TRONIC 16 AS 2200 SINGLE GEAR -Vehicles: 41.480 MAN TGA -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) -
	Main Gearbox: ZF AS TRONIC 12 AS- 1800 IT / 16 AS 1800/16 AS 2200 PPrordoudcut cNtu mNubemrÜbreürn ÜrünNnu Nmuamrasairasi ZF AS TRONIC 16 AS 2200 DOUBLE GEAR -Vehicles: 41.480 MAN TGA -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection) -


 	Main Gearbox: ZF AS TRONIC 16 AS- 251 / 16 S 251+PLATE 12 AS 1631	
	PP Prordoudcut cNtve mNubemÜbreüñ ÜrÜNnu Nmuamrasa raasi	
	ZF	-With spindle (shaft) or milling (25x6) outlet.
	MAESR TCREODNIESS	-Piston Pump Coupled (4-hole connection ISO)
	31562 -S2 2 U51NI	-Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)

SCANIA P.T.O.		
 	Main Gearbox: GS 770 - GS 771 - G 670 - GS 750 - GS 760 - GS 770	
	PP Prordoudcut cNtve mNubemÜbreüñ ÜrÜNnu Nmuamrasa raasi	
	SCANIA	The rotation of the pump has to be opposite with the rotation of PTO.
	GS771	With spindle (shaft) or milling (25x6) outlet.
	50319522P0	Piston Pump Coupled (4-hole connection ISO)


 	Main Gearbox: GR 900/ GRH 900 (1065 rpm, RIGHT)	
	PP Prordoudcut cNtve mNubemÜbreüñ ÜrÜNnu Nmuamrasa raasi	
	SCANIA	The rotation of the pump has to be opposite with the rotation of PTO.
	GR900 UNI	With spindle (shaft) or milling (25x6) outlet.
	50310512P0	Piston Pump Coupled (4-hole connection ISO)


 	Main Gearbox: GRS 900 / GRS 890 / GRS 920 (1065 rpm, RIGHT)	
	PP Prordoudcut cNtve mNubemÜbreüñ ÜrÜNnu Nmuamrasa raasi	
	SCANIA	The rotation of the pump has to be opposite with the rotation of PTO.
	GRS900 UNI	With spindle (shaft) or milling (25x6) outlet.
	50311512P0	Piston Pump Coupled (4-hole connection ISO)


 	Main Gearbox: GR 900/ GRH 900 (1065 rpm, RIGHT)	
	PP Prordoudcut cNtve mNubemÜbreüñ ÜrÜNnu Nmuamrasa raasi	
	SCANIA	The rotation of the pump has to be opposite with the rotation of PTO.
	GR900 ISO	With spindle (shaft) or milling (25x6) outlet.
	50310522P0	-Piston Pump Coupled (4-hole connection ISO)


 	Main Gearbox: G-R 880 - GRH 880	
	PP	Prordoudcut cNtvenNusemÜBPeürn - 112C - 113R - 114H-142M - 144L - 93H 280
	ÜrÜNnu Nmuamrasaİrasİ	ÜrÜNnu Nmuamrasaİrasİ - 112C - 113R - 114H-142M - 144L - 93H 280
		-The rotation of the pump has to be opposite with the rotation of PTO.
	MESRCCAENIDAES 35G2R-28 8U0Nİ 5500 13 21 07 35 21 21 P.00	-With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

FULLER P.T.O.

 	Main Gearbox: EATON-FULLER 11-612-12612-13612-15612-14607	
	PP	Prordoudcut cNtvenNusemÜBPeürn - 112C - 113R - 114H-142M - 144L - 93H 280
	ÜrÜNnu Nmuamrasaİrasİ	ÜrÜNnu Nmuamrasaİrasİ - 112C - 113R - 114H-142M - 144L - 93H 280
		-The rotation of the pump has to be opposite with the rotation of PTO.
	FULLER REAR 156-12 50513321P0	-With spindle (shaft) or milling (25x6) outlet. -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Gear Coupled Pump 6x6 Coupling (3-hole connection UNI)

 	Main Gearbox: RTO 11609-11613-11709-12709-14609 MRTO	
	PP	Prordoudcut cNtvenNusemÜBPeürn - 112C - 113R - 114H-142M - 144L - 93H 280
	ÜrÜNnu Nmuamrasaİrasİ	ÜrÜNnu Nmuamrasaİrasİ - 112C - 113R - 114H-142M - 144L - 93H 280
		The rotation of the pump has to be opposite with the rotation of PTO.
	FULLER 11609 ISO 50510222P0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

 	Main Gearbox: RTO 11609-11613-11709-12709-14609 MRTO / RTX 9509-951	
	PP	Prordoudcut cNtvenNusemÜBPeürn - 112C - 113R - 114H-142M - 144L - 93H 280
	ÜrÜNnu Nmuamrasaİrasİ	ÜrÜNnu Nmuamrasaİrasİ - 112C - 113R - 114H-142M - 144L - 93H 280
		The rotation of the pump has to be opposite with the rotation of PTO.
	FULLER 11609 UNI 50510212P0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)


 	Main Gearbox: EATON-FULLER RT-RTF-RTO-RTX-RTOF-RTOX-MRT11609	
	PP	Prordoudcut cNtvenNusemÜBPeürn - 112C - 113R - 114H-142M - 144L - 93H 280
	ÜrÜNnu Nmuamrasaİrasİ	ÜrÜNnu Nmuamrasaİrasİ - 112C - 113R - 114H-142M - 144L - 93H 280
		The rotation of the pump has to be opposite with the rotation of PTO.
	FULLER REAR 11609 50510321P0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

HYDRAULIC EQUIPMENT
P.T.O.

	Main Gearbox: CHRYSLER	
	PP Prordoudcut cNtU mNubemr Übreürn ÜrÜNnu Nmuamrasairasi	
	FULLER MERCEDES REAR 352-2 UNI 17316 50120311P0 50511321P0	TSheeç reoctaetgioin iozf Pthoem pupmanp ihna sD töon büeş o ypöpnoşüi,tPe twoi tDh ö WMitlhli s(şpainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x ç6i)k oışultile. t. Piissttoon Plu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioi nb laŞğOl)ant iso) GDeişalrı Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi CKoauppliinnlgi (flflangşeli c boanğnelacntiotn))





EATON P.T.O.

	Main Gearbo-x: CHRYSLER	
	PP Prordoudcut cNtU mNubemr Übreürn ÜrÜNnu Nmuamrasairasi	
	EATON 6406- PK 50422512P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)


	Main Gearbox: EATON-HEMA 47-5 R SML-SMA-SMO-SME-CMA	
	PP Prordoudcut cNtU mNubemr Übreürn ÜrÜNnu Nmuamrasairasi	
	EATON HE -MA 475 K 50410311P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)

	Main Gearbox: EATON-HEMA 475 -L SML-SMA-SMO-SME-CMA-CMO	
	PP Prordoudcut cNtU mNubemr Übreürn ÜrÜNnu Nmuamrasairasi	
	HEMA EATON 475 L 50410511P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)

	Main Gearbox: EATON HEMA 475 -R SML-SMA-SMO-SME-CMA-CMO	
	PP Prordoudcut cNtU mNubemr Übreürn ÜrÜNnu Nmuamrasairasi	
	EATON HE -MA 475 R 50410512P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)

 	Main Gearbox: EATON-HEMA 5-70-542-640 R SMA-SMS-SMR PPPrordoudcut cNtvenNubemÜbröbren ÜrüNnu Nmuamrasaİası EATON MERCEDES HEMA 570 L 352-2 UNI 570K 50411311P0 Vehicles: 180.617-620-622 BMCPRO / 200.26-180 FATH CARGO (86-96) 180 FATH BMC BEDFORD GENETO / 1830 FORD The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: EATON-HEMA 570-542-640 L SMA-SMS-SMRSMH PPPrordoudcut cNtvenNubemÜbröbren ÜrüNnu Nmuamrasaİası EATON HEMA 570 L 50411511P0 Vehicles: 180.617-620-622 BMCPRO / 200.26-180 FATH FORD CARGO BEDFORD GENETO / 1830 INTER The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: EATON-HEMA 570-542-640 R SMA-SMS-SMR-SMH PPPrordoudcut cNtvenNubemÜbröbren ÜrüNnu Nmuamrasaİası EATON HEMA 570 R 50411512P0 Vehicles: 180.617-620-622 BMCPRO / 200.26-180 FATH FORD CARGO (96-98) 180 FATH BMC BEDFORD GENETO / 1830 INTER / 1850 The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: EATON FS/FSO/H/V 4106-5206 A/B/H (375 rpm, LEFT) PPPrordoudcut cNtvenNubemÜbröbren ÜrüNnu Nmuamrasaİası EATON 4106L 50413511P0 Vehicles: 180.617-620-622 BMCPRO / 200.26-180 FATH FORD CARGO / AS 950 / CHRYSLER 180.12-210-220 CD-320 The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: EATON FS/FSO/H/V 4106-5206 A/B/H (675 rpm, LEFT) PPPrordoudcut cNtvenNubemÜbröbren ÜrüNnu Nmuamrasaİası EATON 4106K 50412321P0 Vehicles: 180.617-620-622 BMCPRO / 200.26-180 FATH FORD CARGO / AS 950 / CHRYSLER 180.12-210-220 CD The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)

HYDRAULIC EQUIPMENT
P.T.O.



Main Gearbox: EATON FS/FSV/F-SO/H/V 6109-6209-8209-8309A

PPrordoudcut cNtuen Nubee Übe ün
ÜrÜNnu Nmuamrasası

TSheeç reoctaetgioin iozf Pthoem pupmanp ihna sD töon büeş o ypöpnosüi,tPe twoi tDh ö

WMitlhli s(şpainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x(ç6i)k oışultile. t.

MEERACTEONDES
35421-026 UHNI
5500 14 21 02 35 1 21 P 00

Piissttoon Plu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioi nb laSğOl)ant iso)

GDeışalı Ppuommp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi

CKoapppliinnlgi (flflangşeli c boanğnelacntiotn))



Main Gearbox: EATON FS/FSV/F-SO/H/V 6109-6209-8209-8309A

PPrordoudcut cNtuen Nubee Übe ün
ÜrÜNnu Nmuamrasası


W-ith spindle (shaft) or milling (25x6) outlet.

P-iston Pump Coupled (4-hole connection ISO)

G-ear Pump Coupled 6x6 Coupling (3-hole connection UNI)

C-coupling (flange connection)

EATON
610-9K
50414321P0



Main Gearbox: EATON FS/FSV/F-SO/H/V 6109-6209-8209-8309 A

PPrordoudcut cNtuen Nubee Übe ün
ÜrÜNnu Nmuamrasası


W-ith spindle (shaft) or milling (25x6) outlet.

P-iston Pump Coupled (4-hole connection ISO)

L-Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)

-Coupling (flange connection)

EATON
6109-8-209 L
50414511P0



Main Gearbox: EATON FS/FSV/F-SO/H/V 6109-6209-8209-8309 A

PPrordoudcut cNtuen Nubee Übe ün
ÜrÜNnu Nmuamrasası

W-ith spindle (shaft) or milling (25x6) outlet.


P-iston Pump Coupled (4-hole connection ISO)

L-Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)

-Coupling (flange connection)

EATON
610-9H
50417512P0

ISUZU P.T.O.



Main Gearbox: M153 / M150 / M 155 / M151 /M52 / H50 / H 260 /4VB /5VB

PPrordoudcut cNtuen Nubee Übe ün
ÜrÜNnu Nmuamrasası

The rotation of the pump has to be opposite with the rotation of PTO.






With spindle (shaft) or milling (25x6) outlet.

Piston Pump Coupled (4-hole connection ISO)






Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)






Coupling (flange connection)

ISUZU
HINO M153
VACUUM
50654512V0


 	Main Gearbox: MSB-5S/MSB-5M/MSB--5G/MOA-89/MSB-5R (600 rpm, RIGHT) Prordoudcut cNtumNubemrÜbreurn ÜrüNnu Nmuamrasairasi -Vehicles: NKR 2.8 ISUZU LOW / NKR 55 LOW / NHR 55E / CARRIER 250T -The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. ISUZU MSB 5S M3E5C2H-A2N UICNAIL 5501621053121MP0 -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: MSB-5S/MSB-5M/MSB-5G/MOA-89/MSB-5R (600 rpm, RIGHT) Prordoudcut cNtumNubemrÜbreurn ÜrüNnu Nmuamrasairasi Vehicles: NKR 2.8 ISUZU LOW / NKR 55 LOW / NHR 55E / CARRIER 250T The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. ISUZU MSB 5S VACUUM 50610512V0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: MSA-5P/MSA-5G/SMA-SP/MSA-SP/MSA-5D (600 rpm, RIGHT) Prordoudcut cNtumNubemrÜbreurn ÜrüNnu Nmuamrasairasi Vehicles: KS 11- KS20- KS 21- KS 32- 8.8WIDEDIESEL-NKR 55L / 3.3 IRAN ISUZU NKR-NHR-NPR 3.6 / 3.9 ISUZU HVC SAH 1063 (LC 5 T 30) The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. ISUZU MSA 5P MECHANICAL 50611512MP0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: MSA-5P/MSA-5G/SMA-SP/MSA-SP/MSA-5D (600 rpm, RIGHT) Prordoudcut cNtumNubemrÜbreurn ÜrüNnu Nmuamrasairasi Vehicles: KS 11- KS20- KS 21- KS 32- 8.8WIDEDIESEL-NKR 55L / 3.3 IRAN ISUZU NKR-NHR-NPR 3.6 / 3.9 ISUZU HVC SAH 1063 (LC 5 T 30) The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. ISUZU MSA 5P VACUUM 50611512V0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: MXA-5R / MXA-5S / MSA-5D / MSA-5S MXA-6R / MXA 5C Prordoudcut cNtumNubemrÜbreurn ÜrüNnu Nmuamrasairasi Vehicles: NKR WIDE L X 100 HP- 4.3 NPR CHAMPION ISUZU / 3.2NPR ISUZU NPR 66 / NHR 70 NKR 66 / NKR 66E / NPR 66P The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. ISUZU MXA 5R MECHANICAL 50612512MP0 Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)






HYDRAULIC EQUIPMENT
P.T.O.






 	Main Axle Assembly: MIMXAN-5:GR 3/ /M32X,A3-65,450 / , 4M5S,5A0- PPrordoudcut cNtu mNubemr Übreürn ÜrünNnu Nmuamrasairasi W35ID2E- 3L6X2 1-0308 3H-P6-049.3- 7N1P0R- 7C1H2A-M8P0I9O- 36-61 1/ 1N4H-R1 2701 3N-K1R2 166- /1 N3K1R8 -6166E1 /8 NPR 66P TSheeq reoctaetgioin iozf Pthoem pupmanp ihna sD töon büeş o ypöpnosüi,tPe twoi tDh ö WMitlhli s(spainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x ç6i)k oışultile. t. Wİsttoonn Plu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioi nb laSğOl)ant iso) GDeışalrı Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi CKoauppliinnlgi (flflangşeli c boanğnelacntiotn))
 	Main Gearbox: MOY-9F / MOY-9H /MOYCR (1000 rpm, LEFT) PPrordoudcut cNtu mNubemr Übreürn ÜrünNnu Nmuamrasairasi 1-75-77ISUZU CHAMPION (2005-2006) / NKR 250 /NPR 250 NKR 66 E2L / ELF 1307/NPR 66L/NQR 71 PL/NPR85/NPR 70 -The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: MOY-9F / MOY--9H /MOYCR (1000 rpm, RIGHT) PPrordoudcut cNtu mNubemr Übreürn ÜrünNnu Nmuamrasairasi 1-75-77ISUZUCHAMPION(2005-2006) / NKR250 /NPR 250 NKR 66 E2L -The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: MOY-9F / MOY--9H /MOYCR (1000 rpm, RIGHT) PPrordoudcut cNtu mNubemr Übreürn ÜrünNnu Nmuamrasairasi Vehicles: NQR 4.8 TURBO ISUZU / NQR 70 P/FSR /LM 524 -The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: MBP-6P / MBF-5C- / MBG-6P-6Q / MBG-5A /MBD-5A PPrordoudcut cNtu mNubemr Übreürn ÜrünNnu Nmuamrasairasi Vehicles: NQR 4.8 TURBO ISUZU / NQR 70 P/FSR /LM 524 T-he rotation of the pump has to be opposite with the rotation of PTO. W-ith spindle (shaft) or milling (25x6) outlet. P-iston Pump Coupled (4-hole connection ISO) G-ear Pump Coupled 6x6 Coupling (3-hole connection UNI) C-oupling (flange connection)

 	Main Gearbox: MBP-6P / MBF-5C - / MBG-6P-6Q / MBG-5A / MBD-5A PPPrordoudcut cNtu mNubemrÜbreörn ÜrÜNnu Nmuamrasairasi Vehicles: NQR 4.8 TURBO ISUZU / NQR 70 P/FSR /LM 524 ISUZU 3M5B2P- 26 PU PNKL 5500 16 21 03 35 1 21 P 00 -The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: MOZ-06 / MZZ-6U / MZZ-6W / MZZ-5L / MZZ-6C (700 rpm, RIG) PPPrordoudcutcNtu mNubemrÜbreörn ÜrÜNnu Nmuamrasairasi Vehicles: NQR 4.8 3D TURBO ISUZU (2005)/NQR 71PL 5.2 ISUZU MOZ 95 ISUZU MOZ 06 MK 50614512M0 The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: MOZ-06 / MZZ-6U / MZZ-6W / MZZ-5L / MZZ-6C (700 rpm, RIG) PPPrordoudcutcNtu mNubemrÜbreörn ÜrÜNnu Nmuamrasairasi Vehicles: NQR 4.8 3D TURBO ISUZU (2005)/NQR 71PL 5.2 ISUZU MOZ 95 ISUZU MOZ 06 PK 50614512P0 The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 33111-2065 / 08V0484 / 07L108LE05S / LH06S PPPrordoudcut cNtu mNubemrÜbreörn ÜrÜNnu Nmuamrasairasi Vehicles: HINO L-100/FBC 112 SA ISUZU HINO L100-108 MECHANICAL 50650512M0 The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 33111-2065 / 08V0484 / 07L108LE05S / LH06S PPPrordoudcut cNtu mNubemrÜbreörn ÜrÜNnu Nmuamrasairasi Vehicles: HINO L-100/FBC 112 SA ISUZU HINO L100-108 VACUUM 50650512V0 The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)


HYDRAULIC EQUIPMENT
P.T.O.






	Ana ŞanzımMaanın: G Gre/arr.b. orxTı: İS.U.İZ.U.İM.O.Z.İ.Y79.İ-	
	PPrordoudcut cNtu mNubemr Übreürn	3-609-710-712-899-812-813-814-817-913
	ÜrÜNnu Nmuamrasairası	7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54/55/56/57/58/59/60/61/62/63/64/65/66/67/68/69/70/71/72/73/74/75/76/77/78/79/80/81/82/83/84/85/86/87/88/89/90/91/92/93/94/95/96/97/98/99/100
		TSheec reoctaetgioin iozf Pthoem pupmanp ihna sD tön büeş o ypöpnosüi,tPe twoi tDh ö
	Main Gearbox: ISUZU-MOZ 79-MOZ 95	
	PPrordoudcut cNtu mNubemr Übreürn	- Vehicles: ISUZU FRR 90 / NPR 3D / NPR75L / NPR LONG 3D ISUZU
	ÜrÜNnu Nmuamrasairası	
	ISUZU MOZ -79 PK 50615512P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbox: MLD-6A / MLD-6-C,6E,6Q,7R,6B,6D,6F,6R,7Q,6G	
	PPrordoudcut cNtu mNubemr Übreürn	- Vehicles: ISUZU FRR 90 / FRR33P / FRR33K / FNR/FVR5FF / FSR33L / FVR33P / LT132 / CHEVROLET FVR 32 ML
	ÜrÜNnu Nmuamrasairası	
	ISUZU-MD 6A 50619521P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbox: ISUZU MZW 6 P, ISUZU- MW 02 B, ISUZU MW00M-T193880	
	PPrordoudcut cNtu mNubemr Übreürn	- Vehicles: ISUZU TORA, ISUZU FORWARD-FV
	ÜrÜNnu Nmuamrasairası	
	ISUZU MZW -6P PK 50621522P0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gear-box: M550	
	PPrordoudcut cNtu mNubemr Übreürn	- Vehicles: HINO 614 / HINO 3615
	ÜrÜNnu Nmuamrasairası	
	ISUZU HINO M-550 MK 50652512M0	-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)

 	Main Gear-box: M550	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	-Vehicles: HINO 614 / HINO 3615
		-The rotation of the pump has to be opposite with the rotation of PTO.
	MERISCUEZDES HI3N502 M-25 U50N VTK 550016250235121VP00	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: M153 / M150 / M 155 / M151 / M52 / H50 / H 260 / 4VB / 5VB	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	-Vehicles: HINO 614 / HINO 3615 / TOYOTAWU412L / DAIHATSUDELTA / TOYATO DYNA H260-200-400
		The rotation of the pump has to be opposite with the rotation of PTO.
	ISUZU HINO M153 MECHANICAL 50654512M0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: MO -60S5 / 60S6 / 50S5	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	-Vehicles: MITSUBISHI 657 / FM 1060
		-The rotation of the pump has to be opposite with the rotation of PTO.
	MITSUBISHI MERCEDES MO60S5 352-2 UNI PNEUMATIC 50120311P0 50721512P0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: M1S5-M2S5-M3S (375 rpm, RIGHT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	-Vehicles: MITSUBISHI(704) / H350/3F412 / Hd35 / H350-65-72-77 HYUNDAI
		The rotation of the pump has to be opposite with the rotation of PTO.
	MITSUBISHI M1S5 MK 50710512M0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: M1S5-M2S5-M3S (375 rpm, RIGHT)	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	-Vehicles: MITSUBISHI(704) / H350/3F412 / Hd35 / H350-65-72-77 HYUNDAI
		The rotation of the pump has to be opposite with the rotation of PTO.
	MITSUBISHI M1S5 VACUUM 50710512V0	With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)


 	Main Gearbox: MO 26- S 5 / 27 S 5 (4,748)	
	PP Prordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FE 730- FE 839EURO 4 FE71BB / FE73BE / FE83BC	
	MITSUBISHI MERCEDES MO26S5 352-2 UNI VACUUM 50120311P0 50714512V0	-The rotation of the pump has to be opposite with the rotation of PTO.
		-With spindle (shaft) or milling (25x6) outlet.
		-Piston Pump Coupled (4-hole connection ISO)
		-Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: MO 35 S 5 / MO 35 T3 (350 rpm, RIGHT)	
	PP Prordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FE 859E MITSUBISHI(722) / FE150C1-150E1 FE150E2 CANTER 2.0T / WIDE CAB FG145C1 4X4 CANTER	
	MITSUBISHI MO35S5 MK 50715512M0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: MO 35 S 5 / MO 35 T3 (350 rpm, RIGHT)	
	PP Prordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FE 859E MITSUBISHI(722) / FE150C1-150E1 FE150E2 CANTER 2.0T / WIDE CAB FG145C1 4X4 CANTER 2.5	
	MITSUBISHI MO35S5 VACUUM 50715512V0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: MO 36 S 6 (5,400)	
	PP Prordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FE 859 GEURO 4 FE85BE / FE85BG	
	MITSUBISHI MO36S6 MK 50717512M0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: MO 36 S 6 (5,400)	
	PP Prordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FE 859 GEURO 4 FE85BE / FE85BG	
	MITSUBISHI MO36S6 VACUUM 50717512V0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)






HYDRAULIC EQUIPMENT
P.T.O.

	Ana Şanziman: GM / a r i n . r G e a r b o x : M O 3 8 S 5 (7 0 0) PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası 3 609 710 712 809 812 813 814 817 913 114S-HI1213-1216-1318-1618 TSheec reoctaetgioin iozf Pthoem pupmanp ihna sD tön büeş o ypöpnosüi,tPe twoi tDh ö WMitlhli (şpainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x ç6i)k oışultile. t. MMEI TRS CU E BİLGS EN S M35O238-2S 5U MNKI 55017219053121MFO Piletoomnplu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioili nb laSğOl)ant iso) ÇPaşalı Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi) CKoauppliinnlgi (flflangşeli c boanğnelacntiotin))
	Main Gearbo-x: MO 38 S5 PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası -Vehicles: MITSUBISHI -The rotation of the pump has to be opposite with the rotation of PTO. MITSUBISHI MO38S5 VACUUM 50719512V0 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbo-x: MO 38 S5 PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası -Vehicles: MITSUBISHI -The rotation of the pump has to be opposite with the rotation of PTO. MITSUBISHI MO38S5 VAC-UUM SENSOR 50719512V1 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbo-x: MO 50 S 6 PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası -Vehicles: MITSUBISHI / 500 HYUNDAI(802) / FK 750 -The rotation of the pump has to be opposite with the rotation of PTO. MITSUBISHI MO50-S6 MK 50720512M0 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbo-x: MO 50 S 6 PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası -Vehicles: MITSUBISHI / 500 HYUNDAI(802) / FK 750 -The rotation of the pump has to be opposite with the rotation of PTO. MITSUBISHI HI MO50-S6 VK 50720512V0 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)

LIAZ P.T.O.		
 	Main Gearbox: Liaz (513 rpm, RIGHT)	
	Product Number Ürün Numarası	Vehicles: Liaz
	LIAZ 1 51310422P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: Liaz (675 rpm, LEFT)	
	Product Number Ürün Numarası	Vehicles: Liaz
	LIAZ 2 51311424P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: WLY6S51B- 40A-00	
	Product Number Ürün Numarası	Vehicles: L0171010184A0 -5,51 FOTON
	FOTON ATLAS 51910512P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: WLY6S51B-40B-00	
	Product Number Ürün Numarası	Vehicles: L0171010184AQ 5,522 - 0,795-4,0L FOTON
	FOTON ATLAS NEW 51911512P0	The rotation of the pump has to be opposite with the rotation of PTO.
		With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO)
		Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
 	Main Gearbox: 2826.5 I-VECO (1000 rpm, LEFT)	
	Product Number Ürün Numarası	Vehicles: 30.10-35.10-35.12-49.10-49.12-59.12-60.12 IVECO
	IVECO 2826- MK 50818511M0	-The rotation of the pump has to be opposite with the rotation of PTO.
		-With spindle (shaft) or milling (25x6) outlet.
		-Piston Pump Coupled (4-hole connection ISO)
		-Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
		-Coupling (flange connection)


HYDRAULIC EQUIPMENT
P.T.O.

	Main Gearbox: 2840.6 - FPT 2840.6 18-A - FPT 2840.6 21M(700 rpm, RIGHT) PPrordoudcut cNwvnu Nmuamrasalras Ürün Nmuamrasalras IVECO MERCEDES 2840.6 SIDE 352-2 UNI VACUUM 50120311P0 50810512V0 TSheeç reoctaetgioin iozf Pthoem pupmanp ihna sD töon büeş o ypöpnosüi,tPe twoi tDh ö WMitlhli s(şpainfdtlIie) (vsehyafat) forer zmeil l(in2g5 x(265)x(ç6i)k oışultile. t. Piissttoon Plu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioli nb laŞğOl)ant iso) GDeişalri Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi CKoauppliinnlgi (flflangşeli c boanğnelacntiotn))
	Main Gearbox: 2840.6 - FPT 2840.6 18-A - FPT 2840.6 21M(700 rpm, RIGHT) PPrordoudcut cNwvnu Nmuamrasalras Ürün Nmuamrasalras IVECO 2840.6SIDE MECHANICAL 50810512M0 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbox: 2840.6 - FPT 2840.6 18-A - FPT 2840.6 21M(700 rpm, RIGHT) PPrordoudcut cNwvnu Nmuamrasalras Ürün Nmuamrasalras IVECO 2840.6 SIDE DOUBLE- EFFECT VACUUM 50810512V0 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
	Main Gearbox: 2845.6-2855-.6 IVECO (1000 rpm, RIGHT) PPrordoudcut cNwvnu Nmuamrasalras Ürün Nmuamrasalras IVECO 2855- SIDE 50812512P0 T--h1e5 ro0ta.ti1on4 o-f 1th3e p0uEmp1 h5as- t1o 5be0 oEp W--8ith0 sEpin1d5le -(s8ha0ftE) o1r m8il-li8ng5 (2E5x16)3 ou P-Sisetocñ ePucmep ğCoiunpilezd (P4-ohomle cponanneciti G-Meairl lPiu (mşp aCoftulpıl)ed v 6ex6y Caou pflrineg z(3e-h C-Poiuspltinog n(flaung ep coonmnepctiaony)a akuple (4 delik
	Main Gearbox: 2846.5-2842-28-35-2830-2646 (500 rpm, LEFT) PPrordoudcut cNwvnu Nmuamrasalras Ürün Nmuamrasalras IVECO 2846PK REAR 50811311P0 -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)


 	Main Gearbox: 2845.6--2855.6 (650 rpm, LEFT)	
	PPPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasaırası	İVECO MERCEDES 2855 PK 352-2 UNI REAR 50120311P0 50812311P0
		-The rotation of the pump has to be opposite with the rotation of PTO. -With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)
 	Main Gearbox: 2865.6 (650 rpm, LEFT)	
	PPPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasaırası	İVECO 2865 PK REAR 50813311P0
		The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 2870.9 (675 rpm, LEFT)	
	PPPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasaırası	İVECO 2870 PK REAR 50814311P0
		The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 2895.9 (675 rpm, LEFT)	
	PPPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasaırası	İVECO 2895 PK REAR 50815311P0
		The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: 2828.5-2831.5-28028-28031 (300 rpm, RIGHT)	
	PPPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasaırası	İVECO 2828 MECHANICAL 50816512M0
		The rotation of the pump has to be opposite with the rotation of PTO. With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)


 	Main Gearbox: R 51-R / SR- 52 / R52 (675 rpm, LEFT) PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: VOLVO F 7-F 10-F 86-F 88-F 1233 -The rotation of the pump has to be opposite with the rotation of PTO. MEVROCLEVDOS 3R552 -- 25 RU 5N21 50911231P0 With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: R62-SR61-R62 / MR 62 B (780 rpm, RIGHT) PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: F 7-F 10-F 12-F 88-F 89-F 1020-F 1225-N 10-N 12 VOLVO The rotation of the pump has to be opposite with the rotation of PTO. VOLVO R6 - R62 SINGLE GEAR 50911322P0 With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: R62-SR61 / MR 62 B (675 rpm, LEFT) PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: F 7-F 10-F 12-F 88-F 89-F 1020-F 1225-N 10-N 12 VOLVO The rotation of the pump has to be opposite with the rotation of PTO. VOLVO R6 - R 62 DOUBLE GEAR 50911321P0 With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: SR /R 70 - 72 PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FL 7- FL 10- F 12 -N 12-N 10-NL 12 VOLVO The rotation of the pump has to be opposite with the rotation of PTO. VOLVO SR/R70-72 SINGLE GEAR 50912322P0 With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: SR /R 70 - 72 PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: FL 7- FL 10- F 12 -N 12-N 10-NL 12 VOLVO The rotation of the pump has to be opposite with the rotation of PTO. VOLVO SR/R70-72 DOUBLE GEAR 50912321P0 With spindle (shaft) or milling (25x6) outlet. Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)


HYDRAULIC EQUIPMENT
P.T.O.


 	AMnai nŞ aGnezairmboaxn :SGR3/R/3 21,03060,4-104,4050,-5107,05	
	PPrordoudcut cNtu mNubemr Übrüürn	ÜrÜNnu Nmuamrasairasi
		STheeç reoctaetgioin iozf Pthoem pupmanp ihna sD töön büeş o ypöpnosüi,tPe twoi tDh ö
	MEYBOGLEVDQK 315420-027 U-PN7010 50914321P0	WMitlhli s(şpainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x ç6i)k oışultile. t. Pissttoonn Plu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioi nb laSğOl)ant iso) DGeişalri Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi KCoaupplliinnlgi (flflangşeli c boanğnelacntiotin))






HUNDAI P.T.O.

 	Ana Şanziman :Gr /Mr a.irn G. e. a. r. b. o. x. : K. o. H. o. (16.7) (6.0 rpm)	
	PPrordoudcut cNtu mNubemr Übrüürn	ÜrÜNnu Nmuamrasairasi
		TSheeç reoctaetgioin iozf Pthoem pupmanp ihna sD töön büeş o ypöpnosüi,tPe twoi tDh ö
	MHEYURNCDEADHEDS 1203 M52E-C2H UANICIAL 550112216053121MP0	WMitlhli s(şpainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x ç6i)k oışultile. t. Pissttoonn Plu mppo mCopuapylead a(4k-uhpolle c(4o ndnelciktioi nb laSğOl)ant iso) DGeişalri Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi KCoaupplliinnlgi (flflangşeli c boanğnelacntiotin))






 	Main Gear-box: KH 10	
	PPrordoudcut cNtu mNubemr Übrüürn	ÜrÜNnu Nmuamrasairasi
		-The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 120 PNE-UMATIC 51216512P0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)






 	Main Gearbox: M1S5 - M2S5 - M-3S5 -(4,444-5,494,53886-5,181)	
	PPrordoudcut cNtu mNubemr Übrüürn	ÜrÜNnu Nmuamrasairasi
		The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 35 MECH-ANICAL 51210512M0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)

 	Main Gearbox: M1S5 - M2S5 - M-3S5 -(4,444-5,494,53886-5,181)	
	PPrordoudcut cNtu mNubemr Übrüürn	ÜrÜNnu Nmuamrasairasi
		The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 35 VA-CUUM 51210512V0	-With spindle (shaft) or milling (25x6) outlet. -Piston Pump Coupled (4-hole connection ISO) -Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) -Coupling (flange connection)


 	Main Gearbo-x: HYUNDAI	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: HD 75 HYUNDAI
		-The rotation of the pump has to be opposite with the rotation of PTO.
	MHEYURNCD EADY HEDS 45 3M5E2C-2H AUNNICAL 550112211053121MPO	With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: HD105 S106 853 / 105 S106 853 /105 S1925	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: HD 75 KARSAN - HD 72 EURO2
		The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 75 MECHANICAL 51213512M0	With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: HD105 S106 853 / 105 S106 853 /105 S1925	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: HD 75 KARSAN - HD 72 EURO2
		The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 75 VACUUM 51213512V0	With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: HD105W02132 (5 SPEED) / 5 S 21187	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: HD 75 / HD 35 EURO 4 / 75 EURO 4 (5 VİTES)
		The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 75 EURO 4 (5 SPEED) VACUUM 51214512V0	With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)
 	Main Gearbox: T0 60S6 / 60S5	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi	Vehicles: HD 75 EURO4/ F 150/F160
		The rotation of the pump has to be opposite with the rotation of PTO.
	HYUNDAI HD 75 EURO 4 (6 SPEED) VACUUM 51215512V0	With spindle (shaft) or milling (25x6) outlet.
		Piston Pump Coupled (4-hole connection ISO) Gear Pump Coupled 6x6 Coupling (3-hole connection UNI) Coupling (flange connection)







HYDRAULIC EQUIPMENT
P.T.O.

TURNER P.T.O.	
 	Main Gearbox: TURNER-SPICER-T5A- 2801-2803-2811-3016-3017-3047
	Product Number / Ürün Numarası PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası Vehicles: 162 22-162 25-170 25 FATİH / YAVUZ 1850-2200 / 700-800-900 DODGE DODGE-1210 FORD DODGE SUPER 900 DODGE-1210 FORD
	TURNER 3017 PNEUMATIC 51011512P0
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.
 	Main Gearbox: TURNER-SPICER T5- C 4001-4058-4060-4068-4084 R-L
	Product Number / Ürün Numarası PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası Vehicles: 162 22-162 25-170 25 FATİH / YAVUZ 1850-2200 / 700-800-900 DODGE DODGE-1210 FORD
	TURNER T5C4-060 K 51012311P0
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.
	-Piston Pump Coupled (4-hole connection ISO)
 	Main Gearbox: TURNER-SPICER T5- C 4001-4058-4060-4068-4084 R-L
	Product Number / Ürün Numarası PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası Vehicles: 162 22-162 25-170 25 FATİH / YAVUZ 1850-2200 / 700-800-900 DODGE DODGE-1210 FORD
	TURNER T5C4-060 Y 51013511P0
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.
	-Piston Pump Coupled (4-hole connection ISO)
 	Main Gearb-ox: 3053A
	Product Number / Ürün Numarası PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası Vehicles: REO ASKERİ ARAÇ
	MSPEICRECRE DDAENSA 35320-253 UANI 5501102103511P00
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.
 	Main Gearb-ox: LC6T55
	Product Number / Ürün Numarası PPrordoudcut cNtu mNubemr Übreürn ÜrÜNnu Nmuamrasairası Vehicles: JAC 3,8
	JAC PK 52110512P0
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.
	-Piston Pump Coupled (4-hole connection ISO)




MACK P.T.O.	
 	Main Gearbox: DM 600-227589-281KB565-284KB5159A MACK
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: MACK DM 600-DM 611 S 6296
	MACK 1 51111542P0
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
 	Main Gearbox: TRL-TRDL-TRXL-TRDXL-DX-DM 686-107-1070-1071-1075
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: MACK DM 686-868ST-SX-F700-F712-F786-F795
	MACK 2 51110541P0
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
 	Main Gearbox: NISSAN UD60 51712512P0
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: NISSAN UD60, BMC 415
	NISSAN UD60 51712512P0
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
 	Main Gearbox:
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: NISSAN UD95
	NISSAN UD780 51714512P0
	The rotation of the pump has to be opposite with the rotation of PTO.
	With spindle (shaft) or milling (25x6) outlet.
 	Main Gearbox: 3310-4 -33106 -1700010
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasairasi Vehicles: GAZ-KAMAZ
	KAMAZ PK 52010511P0
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.

HYDRAULIC EQUIPMENT
P.T.O.


RTEUNRANUELRT PP..TT..OO..	
	Ana ŞanzimMaanin:G Gre/arrb.orx7. . 2B.9. 2/ 0B.10A. . /0 0B.16A.2.7
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasası
	TSheeç reoctaetgioin iozf Pthoem pupmanp ihna sD töon büeş o ypöpnosüi,tPe twoi tDh ö
	WMitlhli s(spainfdtllie) (vsehyafat) forer zmeil l(in2g5 x(265)x ç6)k oışultile. t. M ER RE NCA EU DL TE S 35B29 -/2 B U18R 5501 18 21 0 35 21 21 P 00 GDeişaln Ppuommpp Caoyuap laekd u6pxl6e C 6oxu6p lkinagp (l3in-hlio (l3e cdoenlnikelci tbi CKoauppliinnlgi (flflangşeli c boanğnelacntiotin))
Main Gearbo-x: AT 2412 D	
	PPrordoudcut cNtu mNubemr Übreürn ÜrüNnu Nmuamrasası
	-The rotation of the pump has to be opposite with the rotation of PTO.
	-With spindle (shaft) or milling (25x6) outlet.
	-Piston Pump Coupled (4-hole connection ISO)
RENAULT PREM- IUM 51811322P0	-Gear Pump Coupled 6x6 Coupling (3-hole connection UNI)
	-Coupling (flange connection)

MERCEDES CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60121117	ACTROS GEARBOX (27,5 CM)
	60121116	ACTROS GEARBOX (25,2 CM)
	60106590	G3-65-90 UNIMOG
ZF CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60200975	ZF 9 S 75 CARDAN SHAFT
	60201291	(ZF 9-S 109) RT 12,91
	60201292	(ZF 9-S 109) RT 12,92
	60201353	(ZF 16 S 109) R 13,53
	60216130	ZF 16 K 130 CARDAN
	60216160	SHAFT ZF 16 K 160
	60216250	TGA İNTARDER WITH PLATE 250 mm
	602162	TGA İNTARDER WITH PLATE 285 mm
	80	ASTRONIC LONG PLATE 285 mm
	602182	ASTRONIC LONG PLATE 300 mm
	80 60218230 602183	ASTRONIC SHORT 250 mm
	00 60216151	ZF 16 S 151 CARDAN SHAFT
	6 0 2 15111	ZF 5S 111 CARDAN SHAFT 602151
	60216255	TGA AUTOMATIC WITH PLATE 250 mm
	60218286	ASTRONIC AUTOMATIC WITH PLATE 285 mm
	60218289	ASTRONIC AUTOMATC WITH ORIGNAL PLATE 285 mm
SCANIA CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60300905	SCANIA GRS905 CARDAN SHAFT LONG 605 mm
	60300906	SCANIA GRS 905 CARDAN SHAFT SHORT 510 mm


HYDRAULIC EQUIPMENT
P.T.O.

HEMA CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60404106	4106 CARDAN SHAFT
	60121116	6019 - 8209 CARDAN SHAFT
	60106590	6109 - 8209 OLD MODEL CARDAN SHAFT
FULLER CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60517316	FULLER 17316 CARDAN SHAFT
	60511612	FULLER 15612-11612 CARDAN SHAFT
VOLVO CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60901701	VOLVO SR 1700 CARDAN SHAFT LONG
	60901710	VOLVO SR 1700 CARDAN SHAFT SHORT
IVECO CARDAN SHAFTS		
	Product Number Ürün Numarası	Product Name Ürün Adı
	60828465	IVECO 2846.5 CARDAN SHAFT
	60828709	IVECO 2870.9 CARDAN SHAFT
	60828959	IVECO 2895.9 CARDAN SHAFT

DIRECTION CONTROL VALVE TYPES

	Product Number Ürün Numarası	Product Name Ürün Adı
	36001010	3/4" PNEUMATIC DIRECTION VALVE
	36001011	1" PNEUMATIC DIRECTION VALVE WITH FLAT FITTING
	36001012	1" PNEUMATIC DIRECTION VALVE WITH REVERSE FITTING
	36001020	TANK TYPE CLOSED LOOP 3/4" DIRECTION VALVE
	36001021	TANK TYPE CLOSED LOOP 1" STRAIGHT FITTING DIRECTION VALVE
	36001022	TANK TYPE CLOSED LOOP 1" RESERVE FITTING DIRECTION VALVE
	36001060	OPEN LOOP 1" 3B DIRECTION VALVE
	36001061	OPEN LOOP 1" 3B DIRECTION VALVE WITH BELLOWS
	36001030	OPEN LOOP 1" 4B DIRECTION VALVE
	36001031	TANK TYPE OPEN LOOP 1" 4B DIRECTION VALVE
	36001045	VACUUM VALVE 1" DIRECTION VALVE
	36001046	VACUUM VALVE 3/4" DIRECTION VALVE
	36001048	VACUUM OPEN LOOP 3/4" DIRECTION VALVE
	36001045	VACUUM OPEN LOOP 1" DIRECTION VALVE
	36001040	2 OUTLET 1" TRAILER DIRECTION VALVE
	36001050	1" TRAILER VALVE LIBYA
	36001070	SINGLE CONTROL 1" DIRECTION VALVE
	36001080	PRESSURE CONTROLLED TRAILER DIRECTION VALVE
	36001090	OPEN LOOP 1" 180 LT (ALUMINUM BODY)
	36001110	3/4" MECHANICAL DIRECTION VALVE
	36001111	1" MECHANICAL DIRECTION VALVE WITH STRAIGHT FITTING
	36001112	1" MECHANICAL DIRECTION VALVE WITH REVERSE FITTING

CONNECTION EQUIPMENTS

	Product Number Ürün Numarası	Product Name Ürün Adı
	36002001	UNI ADAPTER 3 TO 4 CONNECTION
	36 0 020 02	ISO ADAPTER 4 TO 3 CONNECTION
	36002003	ISO ADAPTER 4 TO 3 CONNECTION WITH FLANGE
	36 0 02202	DOUBLE GEAR ADAPTER
	36002006	DOUBLE GEAR ADAPTER WITH FLANGE
	36002010	EXTENSION ADAPTER WITH BEARING
	36002011	EXTENSION ADAPTER WITHOUT BEARING
	36002012	EXTENSION ADAPTER WITH SHORT BEARING
	36002101	SAE B ISO PTO ADAPTER
	36002100	SAE B PUMP UNI PTO ADAPTER
	36 0 020 07	UNIMOG PTO ADAPTER
	50514212PO	FULLER SPACE APARTMAN
	36003001	6*6 GEAR PUMP COUPLING
	36003000	6*8 PISTON PUMP COUPLING
	36003002	6 SPLINE 1120 FLANGE
	36003003	6 SPLINE 1300 FLANGE
	36003005	8 SPLINE 1120 FLANGE
	36003006	8 SPLINE 1300 FLANGE
	36003007	6 SPLINE 30's FLANGE
	36003010	30's WEDGE FLANGE
	36003008	WEDGE ADAPTER PTO FLANGE

LIMIT CONTROL VALVE TYPES

	Product Number Ürün Numarası	Product Name Ürün Adı
	36001510	CLOSED LOOP 3/4" LIMIT CONTOL VALVE
	36001511	CLOSED LOOP 1" LIMIT CONTOL VALVE
	36001520	OPEN LOOP 3/4" LIMIT CONTOL VALVE
	36001521	OPEN LOOP 1" LIMIT CONTOL VALVE
	36001530	1" LIMIT CONTROL VALVE WITH PULL FITTING
	36001531	PNEUMATIC CONTROLLED LIMIT VALVE
	36001550	TRACTOR TRAILER LIMIT CONTROL VALVE